

L Number	Hits	Search Text	DB	Time stamp
1	4	("6614010").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 17:44
2	7286	microwave and electromagnetic adj radiation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 17:57
3	118310	219/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 17:45
4	8424	heating near sample	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 17:45
5	1087	applicator and reflector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 17:45
6	3	deflect\$ near adjusting near coupling adj factor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 17:46
7	120430	waveguide	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 17:46
8	9273	resonant adj cavity	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 17:46
9	2224245	dielectric properties	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 17:46
10	13516	dielectric adj properties	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 17:47
11	16785	permittivity	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 17:49
12	0	rotating near reflector near adjusting near coupling near factor near waveguide near resonant near cavity	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 17:52
13	0	rotating near reflector near adjusting near coupling near factor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 17:51
14	1144	rotating near reflector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 17:51

15	0	adjusting near coupling near factor near waveguide near resonant near cavity	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 17:52
16	0	adjusting near coupling near factor near reflector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 17:51
17	21	adjusting near coupling near factor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 17:51
18	0	coupling near factor near waveguide near resonant near cavity	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 17:52
20	0	coupling near factor near resonant near cavity	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 17:52
19	5	coupling near factor near waveguide	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 17:54
21	0	(rotating near reflector ) and (adjusting near coupling near factor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 17:54
22	3	(microwave and electromagnetic adj radiation) and 219/\$.ccls. and (heating near sample) and (applicator and reflector)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 17:54
23	9	(microwave and electromagnetic adj radiation) and (applicator and reflector) and (resonant adj cavity)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 17:57
24	9	(dielectric properties) and ((microwave and electromagnetic adj radiation) and (applicator and reflector) and (resonant adj cavity))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 17:57
26	0	(rotating near reflector ) and (permittivity and ((dielectric properties) and ((microwave and electromagnetic adj radiation) and (applicator and reflector) and (resonant adj cavity))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 17:58
27	0	(rotating near reflector ) and ((dielectric properties) and ((microwave and electromagnetic adj radiation) and (applicator and reflector) and (resonant adj cavity)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 17:58
28	0	(microwave and electromagnetic adj radiation) and (applicator and reflector) and (rotating near reflector )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 17:58
29	14	(microwave and electromagnetic adj radiation) and (rotating near reflector )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 17:58

25	6	permittivity and ((dielectric properties) and ((microwave and electromagnetic adj radiation) and (applicator and reflector) and (resonant adj cavity)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 18:04
30	0	(rotat\$ adj reflector) near (adjust\$ or changing) near (coupl\$ adj factor) near (between near waveguide near resonant)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 18:06
31	195	(microwave and electromagnetic adj radiation) and waveguide and (resonant adj cavity)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 18:07
32	0	(rotating near reflector ) and ((microwave and electromagnetic adj radiation) and waveguide and (resonant adj cavity))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 18:07
33	14	(microwave and electromagnetic adj radiation) and (rotating near reflector )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 18:07
34	1	219/\$.ccls. and ((microwave and electromagnetic adj radiation) and (rotating near reflector ))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 18:08
35	332	deflector adj rotating	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 18:11
36	4	(microwave and electromagnetic adj radiation) and (deflector adj rotating)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 18:10
37	6	219/\$.ccls. and (deflector adj rotating)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 18:10
38	3272	coupling adj factor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 18:11
39	3	(deflector adj rotating) and (coupling adj factor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 18:11

Day : Wednesday

Date: 8/4/2004

Time: 17:27:47

PALM INTRANET

# Inventor Information for 10/613040

Inventor Name	City	State/Country
FAGRELL, MAGNUS	UPPSALA	SWEDEN
RISMAN, PER OLOV G.	HARRYDA	SWEDEN

Appln Info	Contents	Petition Info	Atty/Agent Info	Continuity Data	Foreign Data	I
------------	----------	---------------	-----------------	-----------------	--------------	---

Search Another: Application# or Patent# PCT /  / or PG PUBS # Attorney Docket # Bar Code # 

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)